



堅域材料有限公司
KINWICK MATERIALS LIMITED

Unit 8, 9/F, Ricky Centre, 36 Chong Yip Street,
Kwun Tong, Kowloon, Hong Kong

Tel: 3622 1092, 3168 3308 Fax: 3622 1093, 2565 9018

Contact: Mr. Wilson Fung 92303714

Email: wilsonfung168@hotmail.com




Our company is a Sino-German collaboration focused on the superior design, manufacture, and distribution of ceramic tile. Since establishment in 2006, we have provided a worldwide clientele with innovative Viewgres fine porcelain combining efficient Chinese production with impeccable German craftsmanship. The European and American markets have been especially receptive to our fine product and we enjoy an outstanding reputation in the tile industry.

Viewgres' top quality fine porcelain is perfect for both indoor and outdoor use and available in a wide variety of creative patterns and designs. All tiles feature a natural surface texture, which is fashionable and functional for any living space.

Technical specifications meet or exceed global industry standards. Water absorption < 0.2%, PEI wear resistance between 4-5, Dynamic C.O.F. 0.61 - 0.71, see full specification sheet for details.

Simply expressed: Viewgres' tile occupies a commanding position in the marketplace. Let us help you build your market.



FINE PORCELAIN

Content

Printing may cause nuances of actual product, color in-kind prevail.
由于印刷关系, 可能与实际产品颜色有所差异, 请以实物为准!



Petra series 08



Lime series 22



Gouturo series 32



Organica series 42



Quartz series 50



Travertine series 58



Jura series 60



Sandstone series 74



Piccadilly series 80



Nextone series 88



Slate series 106



1cm Indoor / 2cm Outdoor

Suggested applications



Product surface



STATUARIO

PT1660 PT1630P PT1430 PT1200P PT1120
60x60x1cm 45x60x1cm 60x120x1.2cm

Every tile is different, pattern is all randomly printed.



PIETRA STATUARIO

Coming from the world-famous Carrara quarry in Italy, PIETRA STATUARIO inherits the features of solid grain and high density of the stone in Carrara.

The light gray cross grain and moderate density shine with the white and transparent background, presenting the internal stone gene, thus it is much applicable to the business or residential space pursuing



PT1660 Pietra series
60x60x1cm 24"x 24"

PT1666 60x60x1cm
PT1666L 60x60x1cm
PT1496 45x90x1cm
PT1496L 45x90x1cm
PT1126 60x120x1.2cm
PT2126A 60x120x2cm

Size

60x60x1cm 24"x24"	60x60x2cm 24"x24"	45x90x1cm 18"x36"	60x120x2cm 24"x48"
----------------------	----------------------	----------------------	-----------------------



From rare natural marbles in Turkey, Pietra Grey features subtle grains and dark-bright shades. Reproducing classic white base grains of natural stones, Pietra Grey emits vitality in grey tranquility. With varied surface grains, matte and anti-skid granulated finish Pietra Grey give designers multiple application choices and allow you to create your own comfortable and natural space.



PT2126A Pietra series
60x120x1.2cm 24"x 48"

Royal Beige



Size



PIETRA ROYAL

Pietra Royal is designed based on the beige marble of the royal household of Turkey.

Thanks to its warm and high-end beige, it is well known for its salutatory linear texture, thus it is the high-end building materials for lots of famous buildings till now.



PT1663 Pietra series
60x60x1cm 24"x24"

LM1661	60x60x1cm
LM1663A	60x60x1cm
LM1667	60x60x1cm
LM2661A	45x90x2cm
LM2721A	60x60x2cm
LM2721B	60x120x2cm
LM1664	60x60x1cm
LM1666	60x60x1cm
LM1454	45x90x1cm
LM2664A	45x90x2cm
LM2494A	45x90x2cm
LM2174A	60x120x2cm
LM1665	60x60x1cm
LM1665A	60x60x1cm
LM1695	45x90x1cm
LM2665A	45x90x2cm
LM2495A	45x90x2cm
LM2175A	60x120x2cm
LM1666	60x60x1cm
LM1666A	60x60x1cm
LM1496	45x90x1cm
LM2666A	60x60x2cm
LM2496A	45x90x2cm
LM2126A	60x120x2cm

Size

60x60x1cm 24"x24"	60x60x2cm 24"x24"	45x90x1cm 18"x36"	45x90x2cm 18"x36"	60x120x2cm 24"x48"



Most important, we compared the total fragment size of marine organisms from each of the coral and mollusk. The plant and fish fragments were rejected as they possessed unique characteristics.



LM1664 Lime series
60x60x1cm 24"x24"

The natural color and solid textures of tiles perfectly match with the wooden or plush style furniture.
The green onion color brightly matches with the beige color.



LM2665A Lime series
60x60x1cm 24"x24"



LM1665 LM1495 Lime series
60x60x1cm 45x90x10 24"x24" 18"x36"

	CC1663	60x60x1cm
	CC1493	45x90x1cm
	CC2663A	60x60x2cm
	CC2493A	45x90x2cm
	CC1665	60x60x1cm
	CC1495	45x90x1cm
	CC2665A	60x60x2cm
	CC2495A	45x90x2cm
	CC1666	60x60x1cm
	CC1496	45x90x1cm
	CC2666A	60x60x2cm
	CC2496A	45x90x2cm
	CC1662	60x60x1cm
	CC1492	45x90x1cm
	CC2662A	60x60x2cm
	CC2492A	45x90x2cm
	CC1667	60x60x1cm
	CC1497	45x90x1cm
	CC2667A	60x60x2cm
	CC2497A	45x90x2cm

50x50x1cm
24"x24"

60x60x2cm
24"x24"

45x90x1cm
18"x36"

45x90x2cm
18"x36"



0.18



FINE
PORCELAIN

Rich, foamy clay has been molded over the centuries into the building blocks of civilization. Coltura captures the unique characteristics of these naturally sedimentary granules and creates a perfect platform for functionality and fashion.

0.19



CC2496A Coutura series
45x90x2cm 18"x36"



CC2496A Coutura series
45x90x2cm 18"x36"



CC1497 Coutura series
45x90x1cm 18"x36"



CC2496A Coutura series
45x90x2cm 18"x36"




CC1497 Coutura series
45x90x1cm 18"x36"

Organica Series




Size



Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com

0.24



As though hewn from aged timbers, Organica captures the warm natural beauty of wood and melds it with the strength and durability of fine grès porcelain.

Meticulous attention to detail is required to recreate the nuances and movement in the wood grain. The resulting aesthetic reaches a realism that belies Mother Nature.

FINE
PORCELAIN

Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com



OG2321A Organica series
30x120x2cm 12"x48"

Organica series
OG1293 OG2323A
22.5x90x1cm 9"x36"
30x120x2cm 12"x48"

The raw wood color ground tiles are natural and harmonious, and they match with the strong light and beautifully curved furniture ornaments and transparent French windows, showing the wisdom of design from the whole space.



OG1299 Organica series
22.5x90x1cm 9"x36"



OG1295 Organica series
22.5x90x1cm 9"x36"



QU1665	60x60x1cm
QU1665A	60x60x1cm
QU1495	45x60x1cm
QU1495A	45x60x1cm
QU2665A	60x60x1cm
QU2475A	45x60x2cm
QU212-A	60x120x1cm

QU1665	40x26x1cm
QU1665A	60x40x1cm
QU1495	45x50x1cm
QU1495A	45x90x1cm
QU2465A	60x20x1cm
QU2495A	45x30x2cm
QU2125A	40x120x1cm

QU1666	40x40x1cm
QU1666A	40x40x1cm
QU1496	45x50x1cm
QU1595A	45x50x1cm
QU3886A	40x40x1cm
QU2487A	45x50x2cm
QU2126A	60x120x2cm

QU1666	60x60x1cm
QU1666A	60x60x1cm
QU1496	45x90x1cm
QU1496A	45x90x1cm
QU2666A	60x60x1cm
QU2496A	45x90x2cm
QU2126A	60x120x2cm

60x60x1cm
21"x24"

60x60x2cm
21"x24"

45x90x1cm
18"x36"

45x90x2cm
18"x36"

60x120x2cm
24"x48"



0.30

Dating back to 16th century Italy, Quartz has been a building material of choice for its inherent characteristics of strength and natural beauty. Quartz is equally at home in classical or contemporary settings.



0.31




QU1491 QU2491A Quartz series
45x90x1cm 45x90x2cm 24"x 24"

The quality advantage fine porcelain makes the outdoor county yard more comfortable and the natural textures and colors combine with the sunlight and green grass, offering a cozy and natural leisure experience.





QU2495A Quartz series
45x90x2cm 18"x36"



The thick wall tiles and ground tiles make the whole space full of solemnity and the natural flower patterns make a characteristic and solemn combination with the modern color.

QU1666 Quartz series
60x60x1cm 24"x 24"



Travertine Series



TR1661 60x60x1cm
TR1661L 60x60x2cm
TR1661A 60x60x1cm
TR1491 45x90x1cm
TR1491L 45x90x1cm
TR1491A 45x90x1cm
TR2661A 60x60x1cm
TR2491A 45x90x2cm
TR2121A 60x120x2cm




TR1665 60x60x1cm
TR1665L 60x60x2cm
TR1665A 60x60x1cm
TR1495 45x90x1cm
TR1495L 45x90x1cm
TR1495A 45x90x1cm
TR2665A 60x60x1cm
TR2495A 45x90x2cm
TR2125A 60x120x2cm



TR1666 60x60x1cm
TR1666L 60x60x2cm
TR1666A 60x60x1cm
TR1496 45x90x1cm
TR1496L 45x90x1cm
TR1496A 45x90x1cm
TR2666A 60x60x1cm
TR2496A 45x90x2cm
TR2126A 60x120x2cm

Size



FINE PORCELAIN

Inspired by nature and achieved through technology, the TRAVERTINE Series offers old world design with all the advantages of today's porcelain tile. Travertine stone has been a building block of many of our cherished architectural landmarks. The warmth and flowing tones of traditional travertine were paramount factors in the development of this rich new series.





TR2665A Travertine series
60x60x2cm 24"x24"



TR2661A TR2665A Travertine series
60x60x2cm 24"x24"



TR1661 Travertine series
60x60x1cm 24"x24"



TR1665 Travertine series
60x60x1cm 24"x24"



60x60x2cm
24"x24"

60x60x2cm
24"x24"


60x120x2cm
24"x48"

60x60x1 cm
24"x24"

60x60x2cm
24"x24"

60x120x2cm
24"x48"

Outdoor application requires specific technical requirements. Jura's matte, anti-slip surface surpasses those standards in both wet and dry conditions. Minimal water absorption allows for its use in challenging climatic conditions. Resistance to chemicals, mold, mildew staining make this a perfect choice for swimming pool areas and all outdoor living.



JR2491A Jura series
45x90x2cm 24"x24"



JR2661A Jura series
30x60cm 12"x24" 60x60x2cm 24"x24"



JR1661 Jura series
60x60x1cm 24"x24"

JR2661A Jura series
60x60x2cm 24"x24"

The modern simple space genre integrates with the delicate and meticulous traditional ornaments like the grass, flowers and the wall lights, showing the taste of elegance.



Sandstone Series



Size

60x60x1cm
24"x24"

60x60x2cm
24"x24"



Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com

0.48



FINE
PORCELAIN

Similar grain with world's first-class Australian sandstone, Viewegres Sandstone is unique and noble. With fantastic texture, high strength, controllable color difference, and largely variable pattern, Viewegres Sandstone always makes the space designable, showing the best characteristic of natural Australian sandstone. With 2cm and 1cm both thickness, Viewegres Sandstone can satisfy the integrity of outdoor and indoor.

Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com

0.49

Piccadilly Series



Size



60x60x1cm
24"x24"



Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com

0.50



FINE PORCELAIN

With the growing trend in landscape architecture, Kinwick has developed a new series of fine porcelain tiles. The tiles are made from high-quality porcelain and are designed to be used in both indoor and outdoor applications. The tiles are available in a variety of colors and textures, and they are designed to be used in a variety of applications, including walls, floors, and outdoor surfaces. The tiles are made from high-quality porcelain and are designed to be used in both indoor and outdoor applications. The tiles are available in a variety of colors and textures, and they are designed to be used in a variety of applications, including walls, floors, and outdoor surfaces.

Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com



MT36 Piccadilly series
60x60x1cm 24"x24"



DoubleTree by Hilton Hotel Kuala Lumpur

Project: DoubleTree by Hilton Hotel Kuala Lumpur

Type: Commercial

Item: MT30


QTN: 1,000SQM



Nextone Series



Size



Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com

0.54

With distinct structure and strong 3D effects, *Viewgras Hexagon* is delicate, while its irregular grain brings warmth and soft feeling. *Viewgras Hexagon* demonstrates the impressiveness, elegance and magnificence of the space.

FINE
PORCELAIN

Kinwick Materials Limited - Wilson Fung 92303714 Email: wilsonfung168@hotmail.com



TF036A Nextone series
60x120x2cm 24"x 48"



TQ002A Nextone series
60x60x2cm 24"x 24"



Meiji Jingu Gaien Japan
Project: Meiji Jingu Gaien
Type: Commercial
Item: GP017
QTN: 3,300SQM
Shooting Time: Year 2013



Grand Prince Hotel Kyoto
Project: Grand Prince Hotel Kyoto
Type: Commercial
Item: GP017A (800X1200X20mm), GP017A (598X598X20mm)
QTN: 2,600SQM, 650SQM
Design Institute: Nikken Sekkei Ltd.
Shooting Time: Year 2013



Singapore Turf Club

Project: Singapore Turf Club

Type: Commercial

Item: TQ001, TQ002S, ZM250

QTN: 12,000.96SQM, 1,500SQM, 1,000SQM

Shooting Time: Year 2012

Cafe in Netherland

Project: Cafe in Netherland

Type: Commercial

Item: GP013

QTN: 1,000SQM

Shooting Time: Year 2013



Korea Chanshidong Hotel

Project: Korea Chanshidong Hotel

Type: Commercial, exterior wall-cladding project

Item: TQ001

QTN: 5,000.4SQM

Hotel Jeju Korea

Project: Hotel Jeju Korea

Type: Commercial, exterior wall-cladding project

Item: TQ001, GP016

QTN: 2,000SQM, 1,000SQM

Shooting Time: Year 2013





Private Swimming Pool of Villa in Sweden

Project: Private Swimming Pool of Villa in Sweden

Type: Residential

Item: GP008, TQ002S

QTN: 1,000SQM, 1,000SQM

Shooting Time: Year 2013



Villa-clusters in Stockholm, Sweden

Project: Villa-clusters in Stockholm, Sweden

Type: Residential

Item: GP006

QTN: 2,600SQM, 600SQM

Shooting Time: Year 2010



Garden in Netherland

Project: Garden in Netherland

Type: Landscape Architecture

Item: GP013S, TF037S, GP006

QTN: 1,000SQM, 1,000SQM, 1,000SQM

Shooting Time: Year 2009



Business Center in Кемерово, Russia

Project: Business Center in Кемерово, Russia

Type: Commercial

Item: GP007

QTN: 107SQM



Project in Chile (Pedestal Paving)

Project: Project in Chile


Type: Commercial

Item: GP002


QTN: 5,500SQM



0.66



Slate Series



PACKING DETAILS

SERIES	Slabs	Pcs/Ctn	M ² /Ctn	M ³ /Pallet	Ctns/Pallet	Kg/Pallet
FINE PORCELAIN	30 x 60 - 12" x 24"	1/m	1.44	3676	37	1764
	30 x 30 - 12" x 12"	4/m	1.77	2104	30	1294
	15 x 30 - 6" x 24"	8/m	1.44	3676	37	1764
	15 x 15 - 6" x 12"	16/m	1.77	2104	30	1294
	20 x 40 - 8" x 32"	5/m	1.77	4464	31	1504
	30 x 40 - 12" x 32"	3/m	1.77	2104	30	1294
	60 x 60 - 24" x 24"	1/m	3.60	9152	19	4504

TECHNICAL SPECIFICATION

40x60cm 24"x36" ± 1mm ± 2mm 40x60cm 18"x36" ± 1mm ± 2mm



Compliant with standards EN 14411 annex G group IIIa Compliant with standards ISO 13006 annex G group BIIa

	Technical features	Test Method	Requirements for nominal size N			FINE PORCELAIN	
			7cmx15cm	N=15cm		1CM	2CM
	Length and width	ISO 10545-2	±0.9 (mm)	±0.6 (%)	±2.0 (mm)	±0.01% ±0.02mm	±0.07% ±0.36mm
	Thickness		±0.5	±5	±0.5	±1.00% ±0.10mm	±1.50% ±0.25mm
	Straightness of sides		±0.75	±0.5	±1.5	±0.04% ±0.23mm	±0.15% ±0.86mm
	Rectangularity		±0.75	±0.5	±1.5	±0.06% ±0.36mm	±0.09% ±0.56mm
	Surface flatness	ISO 10545-2	C.C. ±0.75	C.C. ±0.5	C.C. ±2.0	±0.09% ±0.74mm	±0.12% ±1.01mm
			a.c. ±0.75	a.c. ±0.5	a.c. ±2.0		
			W ±0.75	W ±0.5	W ±2.0		
			En-4411 annex G (Group B, I)		ISO 13006 annex G (Group B, I)		
	Water absorption	ISO 10545-3	Ex: 0.5% individual maximum 0.6%			Ex: 0.11%	Ex: 0.38%
	Breaking strength	ISO 10545-4	≥1300N			≥2500N	≥11600N
Modulus of rupture	R≥16.7N/mm²			R≥42.4N	R≥42.6N		
	Abrasion resistance	ISO 10545-6	≤175mm³			Class 4	Class 4
	Coefficient of thermal linear expansion	ISO 10545-8	Declared value			3.9 X 10 ⁻⁶ /K	3.9 X 10 ⁻⁶ /K
	Thermal shock resistance	ISO 10545-9	Pass according to ISO 10545-1			Resistant	Resistant
	Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B			Passed	Passed
	Resistance to low concentrations of acids and alkalis		Value			Class GLA	—
	Resistance to high concentrations of acids and alkalis		Value			Class GR-V	—
	Moisture expansion (in mm/m)	ISO 10545-10	Declared value			≤0.72 mm/m	≤0.72 mm/m
	Frost resistance	ISO 10545-12	Pass according to ISO 10545-1			Resistant	Resistant
	Impact resistance, as coefficient of restitution	ISO 10545-5	Declared value			≥0.07	≥0.7
	Mohs hardness	EN 101	≥163AG ₁			7	7
	Bond strength/ adhesion	EN 1343	Declared value			N/A	N/A
	Reaction to fire		Class A1 or A1			A1	A1
	Resistance to staining	ISO 10545-14	Minimum Class 3			Class 5	Class 5
	Coefficient of friction(COF)	B.C.R.A-Rep CEC/81	D.M. 206/90 del 14/05/89			1.23Dry 1.16Wet	1.21Dry 1.19Wet
	Dynamic coefficient of friction	ANSI A137.1-2012	ANSI A137.1 Requires a minimum value of 0.42 for commercial areas that are likely to be wet			0.71Dry 0.62Wet	0.64Dry 0.61Wet
	Static coefficient of friction(SCOF)	ASTM C1028-2007	The Ceramtec Tiles Institute identifies Tile Slip Resistant when SCOF ≥0.60			≥0.60Dry ≥0.60Wet	≥0.60Dry ≥0.60Wet
	Slip resistance Classification of New Pedestrian Surface Materials	AS 1586: 2013 Appendix A	Accredited for compliance with ISO 17025			P2 - P4	P4 - P6
	Pendulum Friction Test	Appendix A/Four S rubber)	Declared classification of the pedestrian surface materials according to the Wet Pendulum Test			Class X	Class V
	Barefoot Ramp Test	EN 13807 (CEN/TS 16165 Annex A)	Declared value			C	C
	Shod Ramp Test	EN 13807 (CEN/TS 16165 Annex A)	Declared value			R9 - R10	R11
	Pendulum Friction Test	BS 7526-2003/CEN/TS 16165 Annex L1	Declared value			PTV≥44Dry PTV≥38Wet	PTV≥90Dry PTV≥60Wet